

INSTRUMENT APPROACH CHART - ICAO



VAR 4° E

AD ELEV 1411 FT
THR 15 ELEV 1411 FT
HGT RELATED TO AD ELEV

Radar 123.720Mhz
Tower 118.100Mhz
Delivery 121.750Mhz
Atis 126.020Mhz

EGNOS
CH 52375
E15A

SALZBURG
ÖSTERREICH AUSTRIA
RNP E RWY 15 (LPV only)



MISSED APPROACH: CLIMB STRAIGHT AHEAD, AT WS818 TURN LEFT DIRECT TO WS815; CLIMB TO 6000 FT AMSL AND HOLD.
NOTE: MISSED APPROACH SPEED IS LIMITED TO MAX IAS 180 KT DURING THE TURN WITH MINIMUM BANK ANGLE OF 25°!

	MA - CLIMB GRADIENT	A	B	C	D / D _L
OCA (OCH) IN FT	2.5 %	1931 (520)	1944 (533)	2201 (790)	2211 (800)
	4.5 %	1688 (277)	1701 (290)	1776 (356)	1786 (375)
	6.5 %	1611 (200)	1611 (200)	1672 (261)	1682 (271)

DIST In NM to RW15	7.0	6.0	5.0	4.0	3.0	2.0
ALTITUDE (HEIGHT)	3740 (2329)	3410 (1999)	3080 (1669)	2750 (1337)	2430 (1013)	2110 (699)

WS816 to RW15 - DISTANCE 8.0 NM (Timing not authorized for defining the MAPt)							
	GS (KT)	80	100	120	140	160	180
WS816 - RW15	MIN : SEC	5:59	4:47	3:59	3:25	3:00	2:40
Rate of descent (5.2%)	FT / MIN	420	530	630	740	840	950

Instrument Approach Procedure Coding Table Salzburg RNP E RWY 15

Path Terminator	Waypoint				Course/ Track ° MAG (° True)	DIST NM	Turn Direction	Constraints		Navigation Specification	Remarks
	Identifier	Type	Flyover	Coordinates				Level	Speed		
IF	WS813	IAF	no	N475756.96 E0124534.51				A5000+		RNP APCH	
IF	WS814	IAF	no	N480152.57 E0125916.35				A5000+		RNP APCH	
IF / TF	WS815	IAF / IF	no	N475954.97 E0125225.17	063° (066.8°)	5.0		A4000+		RNP APCH	
					243° (247.0°)						
TF	WS816	FAP	no	N475530.24 E0125513.67	153° (156.9°)	4.8	right	A4000+		RNP APCH	
							left				
TF	RW15		yes	N474811.32 E0125951.89	153° (156.9°)	8.0				RNP APCH	
TF	WS818	MATF	yes	N474634.70 E0130052.94	153° (156.9°)	1.8				RNP APCH	
DF	WS815	MAHF	yes	N475954.97 E0125225.17			left	A6000+	K180-	RNP APCH	25° bank required
RNAV Holding											
Holding Point	Inbound Track ° True	Inbound Track ° MAG	Turn Direction	MAX IAS	Minimum Holding Altitude FT MSL / FL	Time	DIST NM	Remarks			
WS815	178.8°	175°	left	K220-	A4000	1 MIN					

SBAS FAS Data Block Coding Table Salzburg RNP E RWY 15

Input data

Operation Type	0
SBAS Provider	1 (EGNOS)
Airport Identifier	LOWS
Runway	15
Runway Letter	0 (None)
Approach Performance Designator	0
Route Indicator	E
Reference Path Data Selector	0
Reference Path Identifier	E15A
LTP/FTP Latitude	474811.3200N
LTP/FTP Longitude	0125951.8900E
LTP/FTP Ellipsoidal Height (metres)	475.3
FPAP Latitude	474653.3180N
Delta FPAP Latitude (seconds)	-78.0020
FPAP Longitude	0130041.1850E
Delta FPAP Longitude (seconds)	49.2950
Threshold Crossing Height	56.0
TCH Units Selector	0 (feet)
Glidepath Angle (degrees)	3.00
Course Width (metres)	102.25
Length Offset (metres)	312
HAL (metres)	40.0
VAL (metres)	35.0

Output data

Data Block	10 13 17 0F 0C 0F 28 00 01 35 31 05 70 CF 83 14 A4 F9 93 05 91 26 9C 9E FD 1E 81 01 30 02 2C 01 59 27 C8 AF 80 32 BF 64
Calculated CRC Value	8032BF64

Required Additional data

ICAO Code	LO
LTP/FTP Orthometric Height (metres)	430.0