



STRAUBING ATIS 135.52	STRAUBING Info 127.15	MÜNCHEN Radar 129.52	MÜNCHEN Radar 124.05
--------------------------	--------------------------	-------------------------	-------------------------

TRANS LEVEL: BY ATC	TRANS ALT: 5000'	APT Elevation: 1054'
---------------------	------------------	----------------------



Do not use for real life navigation!

STRAUBING ATIS 135.52	STRAUBING Info 127.15	MÜNCHEN Radar 129.52	MÜNCHEN Radar 124.05
TRANS LEVEL: BY ATC		TRANS ALT: 5000'	APT Elevation: 1054'
MAMOR 3R - MAMOR THREE ROMEO (25.5 NM) MAMOR 4G - MAMOR FOUR GOLF (12.2 NM)			6200' ○ ARP MSA 25 NM from ARP
BEARINGS AND TRACKS ARE MAGNETIC. ALTITUDES IN FEET MSL			




Report passing 3600 to Straubing Info and contact München Radar			Initial climb 5000'	
SID	RWY	ROUTING	GPS/FMS RNAV	REMARKS
MAMOR 3R	09	Climb on track 094° to MS090; RT, via MS091 on track 204° to MS092, RT, on track 286° to MAMOR.	[A1500+] - MS090[R]- MS091 - MS092[R] - MAMOR.	
MAMOR 4G	27	Climb on track 290° to MS271; LT, on track 230° to MAMOR.	[A1500+] - MS271[L] - MAMOR.	PDG 5.0% (305ft/NM) due to MEA

Do not use for real life navigation!

STRAUBING ATIS 135.52	STRAUBING Info 127.15	MÜNCHEN Radar 129.52	MÜNCHEN Radar 124.05
TRANS LEVEL: BY ATC		TRANS ALT: 5000'	APT Elevation: 1054'

RDG 4R - RODING FOUR ROMEO (17.7 NM)
RDG 4G - RODING FOUR GOLF (14.1 NM)

BEARINGS AND TRACKS ARE MAGNETIC.
ALTITUDES IN FEET MSL



DEPARTURES ENTERING
CONTROLLED AIRSPACE
WHEN PASSING 1000 AGL.

Caution!
MOUNTAINOUS TERRAIN
EAST OF FIELD:

Procedure not to be used
during activity of NLFS

Report passing 3600 to Straubing Info and contact München Radar

Initial climb 6000'



SID	RWY	ROUTING	GPS/FMS RNAV	REMARKS
RDG 4R	09	Climb on track 095° to MS093; LT, via MS094 on track 311° to RDG. Cross RDG at 6000.	[A1500+] - <u>MS093[L]</u> - MS094 - RDG[A6000].	PDG 4.0% (240ft/NM) due to MEA
RDG 4G	27	Climb on track 289° to MS270; RT, via MS270 on track 057° to RDG, cross RDG at 6000.	[A1500+] - <u>MS270[R]</u> - MS272 - RDG[A6000].	PDG 5.0% (305ft/NM) due to MEA

STRAUBING ATIS 135.52	STRAUBING Info 127.15	MÜNCHEN Radar 129.52	MÜNCHEN Radar 124.05
--------------------------	--------------------------	-------------------------	-------------------------

TRANS LEVEL: BY ATC	TRANS ALT: 5000'	APT Elevation: 1054'
---------------------	------------------	----------------------

STAUB 4R - STAUB FOUR ROMEO (12.3 NM)
STAUB 3G - STAUB THREE GOLF (23.3 NM)

BEARINGS AND TRACKS ARE MAGNETIC.
ALTITUDES IN FEET MSL



Caution!
MOUNTAINOUS TERRAIN
EAST OF FIELD:

DEPARTURES ENTERING
CONTROLLED AIRSPACE
WHEN PASSING 2500 GND.

Procedure not to be used
during activity of NLFS



DEPARTURES ENTERING
CONTROLLED AIRSPACE
WHEN PASSING 1000 AGL.

Report passing 3600 to Straubing Info and contact München Radar				Initial climb 5000'
SID	RWY	ROUTING	GPS/FMS RNAV	REMARKS
STAUB 4R	09	Climb on track 094° to MS095; RT, on track 184° to STAUB, cross STAUB at 5000.	[A1500+] - MS095[R]- STAUB[A5000].	PDG 5.6% (340ft/NM) due to MEA.
STAUB 3G	27	Climb on track 289° to MS270; LT, via MS273 on track 166° to MS274, LT, on track 106° to STAUB.	[A1500+] - MS270[L] - MS273 - MS274[L]- STAUB.	

Do not use for real life navigation!

Revision: 2014-12-11 - Change: note modified

TRANS LEVEL: BY ATC TRANS ALT: 5000'	STRAUBING Info 127.15	MÜNCHEN Radar 129.52	MÜNCHEN Radar 124.05
	Final Apch Course 275°	FAF NEGOB 4000'	MDA(H) 1630' (580')
		Apt.Elev. 1054'	
MISSED APCH: RNAV (GPS): On track 274° to MS491 or 3500, whichever is later, RT, via MS492 on track 044° to RDG. <u>MS491[A3500+;R] - MS492 - RDG[A6000].</u>			
6200' ○ ARP MSA 25 NM from ARP			



OCA (OCH)	A	B		DIST THR / RW27	2	3	4	5	6	7	8	9
LNAV	1630 (580)	1630 (580)		ALTITUDE	1740	2060	2370	2690	3010	3330	3650	3970
LNAV / VNAV	1506 (461)	1516 (471)		Timing not authorized for defining the MAPt								
LPV	1630 (580)	1630 (580)		GS	kts		80	100	120	140		
CIRCLING*	1690 (640)	1690 (640)		NEGOB - RW27 (9.1 NM)	MIN:SEC		6:50	5:28	4:33	3:54		
*North of aerodrome only				Rate of descent (5.2%)	ft/MIN		420	530	640	740		